



Welding the Future, Building the Legacy Since 1989



***Welding Electrode Plant &
Machinery Manufacturer***

www.deccandynamics.com



About Us

At **Deccan Dynamics**, we take immense pride in our journey that began in 1989. For over three decades, we have been a pillar of excellence in the welding industry, offering top-quality and versatile welding electrode materials coupled with state-of-the-art welding electrode manufacturing plants.



Our Commitment

Quality, Precision, and Innovation - these have been the guiding principles of our company since its inception. We believe in not just meeting industry standards but surpassing them. Our commitment to quality is unwavering, and our products are a testament to our dedication.



Our Vision

Our vision is to be the industry leader, setting new benchmarks in welding electrode materials and manufacturing. We aim to continue pushing the boundaries of innovation and quality to deliver products that empower your welding endeavors.



Welding Electrode Plant Production Line

Our state-of-the-art welding electrode plant production lines are engineered to optimize efficiency and precision. Whether you require high-volume production or customized solutions, our range of machinery is designed to meet your unique requirements.



DRY MIXER



TYPE	RIBBON TYPE BLENDER	
CAPACITY	500 Kgs	1000 Kgs



TYPE	Rotary
CAPACITY	300 Kgs

WET MIXER



CAPACITY	100 KG	200 KG	250 KG
POWER	7.5 HP	15 HP	20 HP
NO OF ROLLER	2	2	2
NO OF BLADE	2	2	2



WIRE STRAIGHTENING & CUTTING MACHINE



MODEL	DD 100	DD 200
CUTS/MIN	80-100 NOS (3.15X350MM)	170-200 NOS (3.15X350MM)
CUTTING SPEED	28 TO 35M/MIN	60 TO 70M/MIN
NO OF DIES	5 (T.C)	5 (T.C)

SLUG PRESS(OR) BRIQUETTING PRESS



CAPACITY	3 MT	5 & 7 MT	8 & 10 MT
POWER	3 HP	5 HP	10 HP
TYPE	HYDRALIC		
OPERATED	CYLINDER OPERATED BY DC VALVE		

WIRE FEEDER



CAPACITY	3 & 5 MT
TYPE	VERTICAL
WIRE SIZE	2.5 TO 5.00 MM
HOPPER CAPACITY	300 KG
ROLLER MATERIAL	HCHCR



WIRE FEEDER



CAPACITY	7, 8 & 10 MT
TYPE	HORIZONTAL
WIRE SIZE	2.5 TO 5.00 MM
HOPPER CAPACITY	300 KG
ROLLER MATERIAL	TUNGSTEN CARBIDE

EXTRUDER



MODEL	BELL HOUSING
CAPACITY	3, 5 & 8 MT
POWER	7.5 HP, 25 HP & 40 HP

MODEL	TWIN CYLINDER
CAPACITY	7 & 10 MT
POWER	25 HP & 40 HP



Welding Electrode Plant Manufacturer

Since 1989

www.deccandynamics.com




CONVEYOR



POWER	6.5 HP
WIRE SIZE	2.5 TO 5.00 MM
ELECTRODE LENGTH	350 TO 500 MM

ELECTRODE NAME PRINTING UNIT



WIRE SIZE	2.5 TO 5.00 MM
ELECTRODE LENGTH	350 TO 500 MM
PRINTING LENGTH	60 MM



FLUX RECLAMATION



TYPE	DISC TYPE
WIRE SIZE	2.5 TO 6.35 MM
LENGTH	300 TO 450 MM
CHARGE WEIGHT	10 KG

SHRINK WRAPPING



TYPE	HEATERS (ELECTRIC)
PRODUCTION CAPACITY	5000 PACKETS (SHIFT)



Welding Electrode Plant Manufacturer

Since 1989

www.deccandynamics.com

Why Choose Deccan Dynamics



Quality Assurance

We adhere to stringent quality control standards, guaranteeing that our machinery delivers consistent results, every time.



Custom Solutions

Our team of experts can tailor machinery to meet your specific needs, ensuring optimal performance for your unique welding rod production process.



Global Reach

We serve customers around the world, with a strong commitment to timely delivery and exceptional after-sales support.



Innovation

We stay at the forefront of welding technology, continually innovating to provide you with the latest advancements in the industry.



Reliability

Count on us for machinery that operates smoothly, reducing downtime and increasing your productivity.



Welding the Future, Building the Legacy Since 1989

+91 94433 26696 | +91 80569 77477

info@deccandynamics.com
export@deccandynamics.com

21 Deccan Estate, Goldwins,
Civil Aerodrome Post,
Coimbatore - 641014, India



Location



www.deccandynamics.com